



# UNITED STATES DEPARTMENT OF COMMERCE National Technical Information Service 5285 Port Royal Road Springfield, Virginia 22161-

Date / Mas	1979	NTIS Control # 121091
Cameron S	() ocumentation Center - tation a, Virginia 22314	DDC/TC
Springf	rt Royal Road ield, Virginia 22161	
	1.566-1.5R 37	. ADA #
Title: forti	on Competer	- Decoglim 10
Subject report Group. Con	is / Standard Proc mputer Product.	ess STG report. STG - Special Technology  [A] Follow up date 7 May 197.1
The report returned.		d by DDC. The form noting the ADA number is
	et has been assigned to processing.	the ADA number noted above and is <u>returned</u> to
DDC will	not process the repor	rt. It is returned to NTIS.
Mag Tape Price		α
PC & MF Price_	6.25 ME 6.2	5 Source AADPES
Stock Quantity	10	Source Share
Comments:		
		' Signature (for billing)
Copy when comp Finance Branch		
DOD Report Ac (Replaces NTI		Dette Alons

DO NOT PHOTOGRAPH THIS PAGE

FILE COPY

OBOL
OMPILER
ESTING
ERVICE

**EDERAL** 

VALIDATION SUMMARY REPORT


partment of the Navy (ADPESO)

Washington, D.C. 20376

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161



DOC FILE COPY

FORTRAN COMPILER
VALIDATION SUMMARY REPORT.

VALIDATION NUMBER ECVS66-VSR370

DECSYSTEM 10.

FORTRA, Version 5A

(1) 17 Apr 79

Prepared By:

FEDERAL COBOL COMPILER TESTING SERVICE DEPARTMENT OF THE NAVY WASHINGTON, D.C. 20376

Approved for

Approved for public releases

Distribution Unlimited

DISTRIBUTION STATEMENT A



A062 038

79 05 03 03 9

10272 -101	1		1		
REPORT DOCUMENTATION PAGE	FCVS66-VSR370	2.	3. Recipient	's Accession No.	
. Title and Subtitle	1 01000-101010		5. Report D		
Validation Summary	Report # FCVS66-VSR370			PRIL 1979	
	DECSYSTEM - 10,		6.		
. Author(s) Same as organizati	on - see 9		8. Performin	ng Organization Rept. No.	
Performing Organization Name a			10. Project/	Task/Work Unit No.	
Federal Compiler Testing Center (CFT)					
Automated Data & Telecommunications Service General Services Administration				11. Contract(C) or Grant(G) No.	
Washington, D.C. 2			(C)		
			(G)		
2. Sponsoring Organization Name Automated Data & T	and Address elecommunications Service		13. Type of	Report & Period Covered	
General Services A					
Washington, D.C. 2	0406		14.		
5. Supplementary Notes					
Abstract (Limit: 200 words)	D . (1957)			TODAY	
	ummary Report (VSR) for th			FORTRAN	
Compiler Version	dated summary of the resu			otion of the	
	gainst the 1966 FORTRAN S				
	is showing the discrepance				
	ch lists all categories				
categories of disc	repancies to the language	e; and a detailed			
discrepancies toge	ther with the tests which	were failed.			
		N			
				7/	
			ASCENSI	ON IN	
			atra	Sent Section [	
			SHE SHE		
7. Document Analysis a. Descrip				CATION	
Programming Langua Standards	ages Proving Program Software Engine			The state of the s	
Compilers	portware migra	CITIE	#Y	ANGUARIUTE 00055	
FORTRAN			. 1	THEOTHER AVAILABILITY CHOES	
b. Roentfilers Topen-Ended Term			- A	A AVAIL END ST OF CHILD	
FCVS			11		
cvs				T	
			L		
c. COSATI Field/Group					
8. Availability Statement		19. Security Clas		21. No. of Pages	
Release Unlimit	ed	UNCLASS 20. Security Clas	s (This Page)	18 22. Price PC E 0 3	
		UNCLASS		MFE0 3	
ANSI-Z39.18)	See Instruction	ns on Reverse		OPTIONAL FORM 272 (4-7 (Formerly NTIS-35)	
	7.9 0	5 00	12 0	Department of Commerce	
		()	12.		
	The state of the s	A STATE OF THE PARTY OF THE PAR		The second secon	

# FORTRAN COMPILER VALIDATION

1. Validation Number

FCVS66-VSR370

2. Vendor

Digital Equipment Corporation

3. Mainframe

DECSYSTEM 10, Model KL1091

4. Compiler Identification

FORTRA, Version 5A

5. Operating System Identification

TOPS-10, Version 6.03A

6. Compiler Validation System Version Number FCVS66 1.2

\*PLEASE NOTE. The Department of the Navy may make full and free public disclosure of the Validation Summary Report (VSR) in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of this validadation are only for the purpose of satisfying United States Government requirements, and apply only to the Computer System, Operating System release, and compiler version identified in the VSR. The FORTRAN Compiler Validation System is used to determine, insofar as is practical, the degree to which the subject compiler conforms to American Standard FORTRAN, X3.9-1966. Thus, the VSR is necessarily discretionary and judgmental. The United States Government does not represent or warrant that the statements, or any one of them, set forth in the VSR are accurate or complete. The VSR is not meant to be used for the purpose of publicizing the findings summarized therein.

For information concerning this compiler you can contact the vendor's designated representative named below:

Ms. Susan Godsell Digital Equipment Corporation 200 Forest Street Marlboro, MA 01752

# TABLE OF CONTENTS

1.1 1.2 1.3 1.4	SECTION 1. INTRODUCTION Purpose of the Validation Summary Report Preparation of the VSR Organization of the VSR Use of the VSR Sources of Additional Information	
2.1	SECTION 2. DETAILED EVALUATION OF ERRORS Syntactical Errors Semantic Errors	
3.2 3.3 3.4	SECTION 3. SOFTWARE ENVIRONMENT Compiler Options Logical Unit/Physical Device Assignments Compiler Optimization Compiler Identification Operating System Identification	1
A.2 A.3	APPENDIX A. VALIDATION SUMMARY WORKING DOCUMENT Validation Environment FCVS Executive Routine Control Cards Control Cards for Running FCVS Programs Run Summaries	1 6 1 1

#### 1. SECTION 1. INTRODUCTION

1.1 Purpose of the Validation Summary Report

The purpose of the Validation Summary Report (VSR) is to identify individual FORTRAN language elements whose implementation does not conform to the language specifications defined in American Standard FORTRAN, X3.9-1966.

### 1.2 Preparation of the VSR

The Validation Summary Report is prepared by analyzing the results of running the FORTRAN Compiler Validation System (FCVS). The FORTRAN Compiler Validation System consists of audit routines containing features of American Standard FORTRAN, their related data, and an Executive Routine which prepares the audit routines for compilation. Each audit routine is a FORTRAN program which includes many tests and supporting procedures indicating the result of the tests.

The testing of a compiler in a particular hardware/operating system environment is accomplished by compiling and executing each audit routine. The report produced by each routine tells whether the compiler passed or failed the tests in the routine. If the compiler rejects some language elements by terminating compilation, giving fatal diagnostic messages, or terminating execution abnormally, then the test containing the code the compiler was unable to process is deleted. The audit routine is compiled again and execution is repeated.

The compilation listings and the output reports of the audit routines constitute the raw data from which the members of the Federal COBOL Compiler Testing Service produce a Validation Summary Report.

## 1.3 Organization of the VSR

The Validation Summary Report is made up of several sections whose contents are described below.

- a. Section 2 summarizes the results of the compilation and execution of the programs comprising the FORTRAN Compiler Validation System. Section 2 is divided into a subsection describing the syntax errors encountered while compiling the FORTRAN audit routines, and a subsection describing the semantic errors which occurred during execution of the FORTRAN audit routines.
- b. Section 3 contains information which describes the software environment in which the compiler was tested. This includes the name and version of the operating system and the logical unit/physical device assignments used in the programs comprising the FCVS. The options used with the compiler are also given, and if applicable, the use of compiler optimization features is explained.

c. Appendix A is the Validation Summary Working Document, a working paper resulting from the compilation and execution of the FCVS. The  $\,$  VSR is derived from Appendix A.

### 1.4 Use of the VSR

The Department of the Navy may make full and free public disclosure of the Validation Summary Report (VSR) in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of the validation are only for the purposes of satisfying United States Government requirements, and apply only to the computer system, operating system release, and compiler version identified in the VSR.

The FORTRAN Compiler Validation System is used to determine, insofar as is practical, the degree to which the subject compiler conforms to the FORTRAN Standard. Thus, the VSR is necessarily discretionary and judgmental. The United States Government does not represent or warrant that the statements, or any one of them, set forth in the VSR are accurate or complete. The VSR is not meant to be used for the purpose of publicizing the findings summarized therein.

#### 1.5 Sources of Additional Information

The detailed FORTRAN language specifications are given in the publication "American Standard FORTRAN, X3.9-1966", available from the American National Standards Institute, 1430 Broadway, New York, New York 10018.

An explanation of the FORTRAN Compiler Validation System is contained in the FCVS User's Guide. This document explains how to run the compiler validation system. The User's Guide and a magnetic tape containing a copy of the FCVS programs are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, Virginia, 22151. (Ordering information can be obtained from the Federal COBOL Compiler Testing Service.)

#### 2. SECTION 2. DETAILED EVALUATION OF ERRORS

This section summarizes the results of the compilation and execution of the programs comprising the FORTRAN Compiler Validation System (FCVS). The version of the FCVS used during this validation is shown inside the front cover of the VSR.

Section 2 is made up of two subsections. The first subsection describes each syntax error encountered during compilation of the audit routines, and the second subsection describes the semantic errors encountered during execution of the audit routines.

Each error or deviation noted in this section makes reference to a program contained in Appendix A (Validation Summary Working Document). This reference provides the documented results of an occurrence of errors/deviations detected during the running of the FCVS using the compiler within the environment identified in this document. The Validation Summary Working Document is presented in sequence by program number.

2.1 Syntactical Errors

No errors.

2.2 Semantic Errors

No errors.

# 3. SECTION 3. SOFTWARE ENVIRONMENT

The compiler referenced in this document was validated using the software environment described in this section. When using a modification of the described environment, the compiler may or may not continue to conform to the Standard. It should be noted that during the validation process, an attempt is made to validate as many different options as possible.

The use of compiler options, logical unit/physical device assignments, and any form of optimization which is not described in this report could cause the compiler to produce a program that does not perform according to the specifications of Standard FORTRAN. Only the environment described in this document has been used with this compiler to satisfy the validation requirements of the Department of the Navy.

## 3.1 Compiler Options

The options or parameters used on the processor call statement for the compiler are listed as follows:

a. Batch - Without Optimization.

EXECUTE/COMPILE/FORTRAN/LIST FMnnn.NFT

b. Batch - With Optimization.

EXECUTE/COMPILE/FORTRAN/LIST/OPTIMIZE FMnnn.NFT

c. Time-sharing - Without Optimization.

EXECUTE/COMPILE/FORTRAN/LIST FMnnn.NFT

d. Time-sharing - With Optimization.

EXECUTE/COMPILE/FORTRAN/LIST/OPTIMIZE FMnnn.NFT

## 3.2 Logical Unit/Physical Device Assignments

Logical units were specified by inserting OPEN statements in each program with the required file specifications and then making the physical device assignments at runtime. A file called NAVDEC.MIC contained the initial (default) device assignments. When a change in assignment was necessary, such as in modifying FM100-FM108 from mass-storage to tape, the change was made within the NAVDEC.MIC file.

a. Batch Compiler Runs.

Printer Destined Files:

Logical unit 06 was assigned to the system printer by using the following OPEN statement within the source program:

OPEN(UNIT=102, DEVICE='OUT', FILE='FMnnn.LPT')

At runtime the logical unit was assigned to a physical device as follows:

.ASSIGN DSK: OUT:

Tape Files:

Logical unit 07 was assigned to a tape file by using the following OPEN statement within the source program:

OPEN(UNIT=106, DEVICE='DAT', FILE='FMnnn.Dnn')

At runtime the logical unit was assigned to a physical device as follows:

.MOUNT MTA: DAT/REELID: NAVYWK/WE/VID: TU70/SHOVE

Sequential Mass-storage Files:

Logical unit 07 was assigned to a mass-storage device by using the following OPEN statement within the source program:

OPEN(UNIT=106, DEVICE='DAT', FILE='FMnnn.Dnn')

At runtime the logical unit was assigned to a physical device as follows:

.ASSIGN DSK: DAT:

Card Input Files:

Logical unit 05 was assigned to the card input file by using the following OPEN statement within the FMO15 source program:

OPEN(UNIT=101, DEVICE='IN', FILE='FM015.NFD', ACCESS='SEQIN')

At runtime the logical unit was assigned to a mass-storage file which contained the FMO15 data card images:

.ASSIGN DSK: IN:

b. Time-sharing Compiler Runs.

The time-sharing runs were submitted in the same manner as the batch runs. All logical and physical device assignments remained the same with the exception that input to FMO15 was entered from the terminal and output from FMO15 was displayed on the terminal via the following commands:

.ASSIGN TTY IN .ASSIGN TTY OUT

3.3 Compiler Optimization

The compiler may or may not have optimization features. If there was an optimization feature available, it was used during the validation process (during a separate execution of the Compiler Validation System) to determine if its use causes the compiler to produce a program which does not give the expected results. If the optimization is invoked through the compiler call statement then it is mentioned in paragraph 1 above. If it is invoked through the introduction of a compiler directing source program statement, it is shown below. Optimization which would require modification to source program statements is not considered in this report in that it is beyond the scope of the use of Standard FORTRAN and the validation process.

The optimization feature for this compiler is invoked by specifying the word OPTIMIZE as an option on the EXECUTE statement for the FORTRAN compiler. See Section 3.1 above.

3.4 Compiler Identification

FORTRA, Version 5A

3.5 Operating System Identification

TOPS-10, Version 6.03A

### A. APPENDIX A. VALIDATION SUMMARY WORKING DOCUMENT

This appendix is a working paper produced during the validation and documents the results of the compilation and execution of each of the programs comprising the FCVS. The results contained herein are based on the use of the compiler within the Validation Environment identified in this appendix. This appendix (Validation Summary Working Document) is not part of the official Validation Summary Report (VSR), and it is not intended to reflect in any way the compiler's usefulness or degree of conformance to the language specifications.

The reader of this appendix should keep in mind that the same problem area may appear in more than one program but is considered only as a single discrepancy, and the problem is reflected only once in the body of the VSR. (The VSR will in turn only reference the first occurrence of the problem in the appendix.)

This appendix is divided into four parts. The first part describes the Validation Environment. The second part lists the Monitor Input Cards used in creating a job control stream for execution in the batch mode. The third part shows the control cards required to compile and execute an individual program. The fourth part of the document is divided into two categories of information: compilation results and execution results. Information items, such as compiler warning messages, are included in the summary of compilation and execution results.

The reference document for FORTRAN is American Standard FORTRAN, X3.9-1966.

A.1 Validation Environment

COMPILER IDENTIFICATION:

FORTRA, Version 5A

COMPUTER SYSTEM:

DECSYSTEM 10, Model KL1091

OPERATING SYSTEM:

TOPS-10, Version 6.03A

Each of the programs comprising the FCVS was compiled and executed twice in the batch mode. First, the programs were compiled and executed without the compiler optimization feature, and then the programs were compiled and executed with the compiler optimization feature requested. In addition, the programs which test I/O, FM100 through FM108, were run with two different I/O devices. The programs were first run with the output logical unit assigned to a tape device, and then rerun with the unit assigned to a mass-storage device. Upon completion of the batch runs the entire FCVS was rerun in time-sharing mode in the same manner as described for the batch runs.

#### A.2 FCVS Executive Routine Control Cards

The FCVS Executive Routine was used to prepare the FCVS programs for execution in the batch mode. The Control Cards used as input to the FCVS Executive Routine together with the job control stream for executing the Executive Routine are listed below:

```
.ASSIGN MT632: X
.RUN CHANGE
                           (Copy FCVS population file from tape to disk.)
.RUN SNOBOL
                           (Verify that the file copy was successful.)
*SCNNVY
.UNL X:
.DEAS X:
.RUN SNOBOL
                           (Create input control file to FCVS executive
*MAKINP
                           program in file MYEXEC.INP. The contents of
                            file are as follows:)
          PFM001, PFM109
          *LIST
                   II
          *END-MONITOR
          *BEGIN-UPDATE
          *START, FM001
          =00590
                OPEN(UNIT=102, DEVICE='OUT', FILE='FM001.LPT')
          *START, FMO 15
          =00740
                OPEN(UNIT=101, DEVICE='IN' ,FILE='FM015.NFD', ACCESS='SEQIN')
          =00770
                OPEN(UNIT=102, DEVICE='OUT', FILE='FM015.LPT')
          *START, FM100
          =00930
                OPEN(UNIT=102, DEVICE='OUT', FILE='FM100.LPT')
          =01170
                OPEN(UNIT=106, DEVICE='DAT', FILE='FM100.D06')
          *END-UPDATE
          *END-INPUT
.RUN MYEXEC
                           (Compile and execute FCVS executive program.
```

# FCVS66-VSR370

# APPENDIX

Build individual files for each audit routine.)

.PRI MYEXEC.INP,NFT1\*.CTL
.PRI MYEXEC.LPT/FILE:FORTRAN
.SU NFT1N.CTL/TIME:00:30:00 (Submit batch job.)

## A.3 Control Cards for Running FCVS Programs

The job control stream for an individual program consisted of the following control cards:

For programs FM001-FM014, FM016-FM099 and FM109:

.EXECUTE/COMPILE/FORTRAN/LIST FMnnn.NFT

(audit routine source program in file FMnnn.NFT)

- .RENAME FMnnn.REU=FMnnn.REL
- .RENAME FMnnn.LPU=FMnnn.LPT

For program FM015:

- .EXECUTE/COMPILE/FORTRAN/LIST FM015.NFT
- \*G
- #G
- .RENAME FM015.REU=FM015.REL
- .RENAME FM015.LPU=FM015.LPT

For programs FM100-FM108 with mass-storage files:

- .EXECUTE/COMPILE/FORTRAN/LIST FMnnn.NFT
- .RENAME FMnnn.REU=FMnnn.REL
- .RENAME FMnnn.LPU=FMnnn.LPT
- .RENAME FMnnn.Unn=FMnnn.Dnn

For programs FM100-FM108 with tape files:

- .MOUNT MTA:DAT/REELID:NAVYWK/WE/VID:TU70/SHOVE
- .EXECUTE/COMPILE/FORTRAN/LIST FMnnn.NFT
- .RENAME FMnnn.REU=FMnnn.RTL
- .RENAME FMnnn.LPU=FMnnn.LPT
- .REWIND DAT:
- .COPY FMnnn.Tnn=DAT:
- .REWIND DAT:

## A.4 Run Summaries

## FM001 through FM045

A. Compilation

No errors.

B. Execution

No errors.

FM050 through FM062, FM080 through FM083, and FM097 through FM099

A. Compilation

No errors.

B. Execution

No errors.

FORTRAN I/O Routines - FM100 through FM108

These audit routines were executed with the output logical unit assigned to a tape device and rerun with the output logical unit assigned to a mass-storage device.

# FM100 through FM108

A. Compilation

No errors.

B. Execution

No errors.

## FM109

A. Compilation

No errors.

B. Execution

No errors.